## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

O OTHER:

L Number	Hits	Search Text	DB	Time stamp
	22	6012118.pn. 5991885.pn. 5987517.pn. 5943481.pn. 5963720.pn.	USPAT;	2004/08/31 15:37
		5894557.pn. 5889945.pn. 5872919.pn. 5841985.pn. 5826017.pn.	US-PGPUB;	, ,
	İ	5710908.pn.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20		USPAT;	2004/08/02 13:39
		5894557.pn. 5889945.pn. 5872919.pn. 5841985.pn.5710908.pn.	US-PGPUB;	
	j ,		EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	(5826017.pn. 5841985.pn. 5872919.pn. 5894557.pn. 5943481.pn.	USPAT;	2004/08/02 13:43
		) and protocol and flex\$4 and render\$3	US-PGPUB;	, ==
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
~	3	(5826017.pn. 5841985.pn. 5872919.pn. 5894557.pn. 5943481.pn.	USPAT;	2004/08/02 13:43
		) and protocol and flex\$4	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	6	(5826017.pn. 5841985.pn. 5872919.pn. 5894557.pn. 5943481.pn.	USPAT;	2004/08/16 11:09
		) and protocol and (flex\$4 general\$4)	US-PGPUB;	200 1,00, 20 22105
	*		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<del>-</del>	24	"5680552"	USPAT;	2004/08/04 15:09
			US-PGPUB;	
			EPO; JPO; DERWENT;	į ,
			IBM_TDB	
_	. 26	("4545052"   "4688170"   "4733357"   "4754400"   "4855905"	USPAT	2004/08/04 15:12
		"4970716"   "5063494"   "5142528"   "5163055"   "5175817"		
		"5182748"   "5245703"   "5276802"   "5276816"   "5278972"		
		"5313467"   "5347524"   "5430727"   "5452433"   "5557798"		
		"5574919"   "5581558"   "5594721"   "5623666"   "5659555"		
	1787	"5680552").PN. "common protocol"	USPAT;	2004/08/08 19:22
	1707	Common protocor	US-PGPUB;	2007/00/00 13.22
!			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- !	637	(710/11 710/314 710/315).ccls.	USPAT;	2004/08/08 19:24
.			US-PGPUB;	
'			EPO; JPO;	
			DERWENT; IBM_TDB	
_	7	(710/11 710/314 710/315).ccls. and "common protocol" and	USPAT;	2004/08/08 19:25
	′	"different protocol"	US-PGPUB;	_55 1, 55, 55 15.25
			EPO; JPO;	
		4	DERWENT;	
			IBM_TDB	
-	153	"effect server"	USPAT;	2004/08/11 09:53
			US-PGPUB;	
	,		EPO; JPO; DERWENT;	
			IBM_TDB	]
-	48	"effect server" and edit\$4	USPAT;	2004/08/11 09:50
	, ,	,	US-PGPUB;	200.,00,11.00.00
			EPO; JPO;	
}			DERWENT;	
			IBM_TDB	

-	2	"effect server" and edit\$4 near (photo image picture)	USPAT;	2004/08/11 09:51
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2024/22/1
-	2	"effect server" same download	USPAT;	2004/08/11 10:34
			US-PGPUB;	
			EPO; JPO;	,
			DERWENT;	
			IBM_TDB	,
-	0	photo near active near effect near library	USPAT;	2004/08/11 10:35
			US-PGPUB;	
1			EPO; JPO;	
,			DERWENT;	
			IBM_TDB	
-	0	photo near effect near library	USPAT;	2004/08/11 10:35
			US-PGPUB;	
			EPO; JPO;	
- 0			DERWENT;	
	,		IBM_TDB	
-	15	photo same effect same library	USPAT;	2004/08/11 10:36
	· .	·	US-PGPUB;	
			EPO; JPO;	
	!		DERWENT;	
			IBM_TDB	
_	26	("4545052"   "4688170"   "4733357"   "4754400"   "4855905"	USPAT	2004/08/16 10:58
1		"4970716"   "5063494"   "5142528"   "5163055"   "5175817"	,	
		"5182748"   "5245703"   "5276802"   "5276816"   "5278972"		
	1	"5313467"   "5347524"   "5430727"   "5452433"   "5557798"		,
		"5574919"   "5581558"   "5594721"   "5623666"   "5659555"		
		"5680552").PN.		
1 -	2	"resource descriptive framework"	USPAT;	2004/08/16 11:13
	-	resource descriptive manierrork	US-PGPUB;	200 1/00/10 11:13
	]		EPO; JPO;	
		1	DERWENT;	
			IBM_TDB	
_	242	resourc\$3 near descript\$4 near frame\$4	USPAT;	2004/08/16 11:14
-	212	resources near descripted recar manney r	US-PGPUB;	200 1/00/10 11:11
			EPO; JPO;	
			DERWENT;	
	j		IBM_TDB	
_	236	resourc\$3 near descript\$4 near frame\$4 and RDF	USPAT;	2004/08/31 12:00
	230	resources near acsonper near nameer and κυτ	US-PGPUB;	200 1/00/31 12.00
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	1	resourc\$3 near descript\$4 near frame\$4 and RDF and device near	USPAT;	2004/08/16 11:17
	1	(dependen\$3 independen\$3) and protocol near (dependen\$3	US-PGPUB;	200 1/00/10 11.1/
		independen\$3)	EPO; JPO;	ĺ
		; шиерспиенфэ) 	DERWENT;	
			IBM_TDB	
_	6	recouret3 near descript\$4 near frame\$4 and DDE and protects	USPAT;	2004/09/15 11:17
-	٥	resourc\$3 near descript\$4 near frame\$4 and RDF and protocol		2004/08/16 11:17
		near (dependen\$3 independen\$3)	US-PGPUB;	
			EPO; JPO;	
	-		DERWENT;	
		was word a see described a see for seed and DDF and for the set	IBM_TDB	2004/00/20 40 40
-	11	resourc\$3 near descript\$4 near frame\$4 and RDF and (protocol	USPAT;	2004/08/30 19:40
	j	device) near (dependent independent)	US-PGPUB;	
			EPO; JPO;	
(			DERWENT;	
<u> </u>	<u></u>		IBM_TDB	

-	187	resourc\$3 near descript\$4 near frame\$4 and (RDF XSL) and protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/30 19:40
-	11	resourc\$3 near descript\$4 near frame\$4 and (XSL RDF) and (protocol device) near (dependent independent)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/30 19:40
_	7	resourc\$3 near descript\$4 near frame\$4 and XSL and (protocol device) near (dependent independent)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/30 19:41
-	187	resourc\$3 near descript\$4 near frame\$4 and RDF and protocol	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/30 20:08
-	182	resourc\$3 near descript\$4 near frame\$4 and RDF and protocol and (common general)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/30 20:09
~	11	resourc\$3 near descript\$4 near frame\$4 and RDF and protocol and (common general) near protocol	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/30 20:14
-	1	(resourc\$3 near descript\$4 near frame\$4 and RDF) and protocol and (common general) near protocol and (element\$2 component\$2 device\$2 product\$2 node\$2) near3 (depend\$4	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/30 20:17
-	1	independ\$4)  (resourc\$3 near descript\$4 near frame\$4 RDF) and protocol and (common general) near protocol and (element\$2 component\$2 device\$2 product\$2 node\$2) near3 (depend\$4 independ\$4)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/30 20:19
-	6	(resourc\$3 near descript\$4 near frame\$4 RDF) and protocol and (common general) near protocol and protocol near3 (depend\$4 independ\$4)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/30 20:20
-	0	(6012118.pn. 5991885.pn. 5987517.pn. 5943481.pn. 5963720.pn. 5894557.pn. 5889945.pn. 5872919.pn. 5841985.pn. 5826017.pn. 5710908.pn.) and (resourc\$3 near descript\$4 near frame\$4 RDF)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/30 20:27
-	0	and protocol (6012118.pn. 5991885.pn. 5987517.pn. 5943481.pn. 5963720.pn. 5894557.pn. 5889945.pn. 5872919.pn. 5841985.pn. 5826017.pn. 5710908.pn.) and (resourc\$3 near descript\$4 near frame\$4 RDF)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/30 20:28
-	26	("4545052"   "4688170"   "4733357"   "4754400"   "4855905"   "4970716"   "5063494"   "5142528"   "5163055"   "5175817"   "5182748"   "5245703"   "5276802"   "5276816"   "5278972"   "5313467"   "5347524"   "5430727"   "5452433"   "5557798"   "5574919"   "5581558"   "5594721"   "5623666"   "5659555"   "5680552").PN.	IBM_TDB USPAT	2004/08/31 10:08

-	12	adapt same multiple same device same protocol same standard	USPAT; US-PGPUB;	2004/09/02 12:59
	,		EPO; JPO;	
ļ	,		DERWENT;	
			IBM_TDB	
_	1	"00100740"	USPAT;	2004/08/31 11:35
}	-	00100710	US-PGPUB;	200 1,00,31 11.33
}	1		EPO; JPO;	
1			DERWENT;	
l			IBM_TDB	
	2	"20010009016"	USPAT;	2004/08/31 11:35
	_		US-PGPUB;	200 1/00/31 11.33
			EPO; JPO;	
}			DERWENT;	*
	:		IBM_TDB	
1_	5	resourc\$3 near descript\$4 near frame\$4 and RDF and "content"	USPAT;	2004/08/31 13:22
1	,	base"	US-PGPUB;	200 1/00/31 13.22
}		base	EPO; JPO;	
}	į.		DERWENT;	·
+			IBM_TDB	
_	20	5826017,URPN.	USPAT	2004/08/31 12:07
1_	138	("on line" "on-line") near2 application and protocol near3 standard	USPAT;	2004/08/31 12:50
	150	or line or line y near application and protocol rears standard	ÚS-PGPUB;	200 1/00/31 12:30
}			EPO; JPO;	
}			DERWENT;	
}			IBM TDB	
_	109	("on line" "on-line") near2 application and protocol near3 standard	USPAT;	2004/08/31 12:22
	103	and content	US-PGPUB;	200 1/00/31 12.22
1		and content	EPO; JPO;	
			DERWENT;	
			IBM_TDB	{
_	43	("on line" "on-line") near2 application and protocol near3 standard	USPAT;	2004/08/31 12:27
	,3	and "content object"	US-PGPUB;	200 1,00/31 12.27
		did content object	EPO; JPO;	·
			DERWENT;	
			IBM_TDB	
-	40	("on line" "on-line") near2 application and protocol near3 standard	USPAT;	2004/08/31 12:27
		and "content object" and class	US-PGPUB;	200 1, 00, 51 12:27
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
] -	40	("on line" "on-line") near2 application and protocol near3 standard	USPAT;	2004/08/31 12:28
		and "content object" and class and map\$4	US-PGPUB;	, , , , = ======
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	39	("on line" "on-line") near2 application and protocol near3 standard	USPAT;	2004/08/31 12:51
		and "content object" and class and map\$4 and handler	US-PGPUB;	
			EPO; JPO;	,
			DERWENT;	
			IBM_TDB	
-	104	("on line" "on-line") near2 application and protocol near3 standard	USPAT;	2004/08/31 12:51
		not bowman	US-PGPUB;	
1			EPO; JPO;	a a
-			DERWENT;	
		*	IBM_TDB	
-	29	("on line" "on-line") near2 application and protocol near3 standard	USPAT;	2004/08/31 12:52
		not bowman and class and map\$4	US-PGPUB;	
	*		EPO; JPO;	
			DERWENT;	
			IBM_TDB	

[-	25	("on line" "on-line") near2 application and protocol near3 standard	USPAT;	2004/08/31 12:54
		not bowman and class and map\$4 not guheen	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	60		IBM_TDB	2004/00/24 45 05
_	69	resourc\$3 near descript\$4 near frame\$4 and RDF and (adapt\$6	USPAT;	2004/08/31 13:25
		modif\$7 adjust\$4 alter\$7 vary) near3 (protocol element device)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	60		IBM_TDB	2004/00/24 42-26
1	69	resourc\$3 near descript\$4 near frame\$4 and RDF and (adapt\$6	USPAT;	2004/08/31 13:26
		modif\$7 adjust\$4 alter\$7 vary) near3 (protocol element device) and (application content)	US-PGPUB; EPO; JPO;	
		and (application content)	DERWENT;	
			IBM_TDB	!
_	21	resourc\$3 near descript\$4 near frame\$4 and RDF and (adapt\$6	USPAT;	2004/08/31 13:30
	~-	modif\$7 adjust\$4 alter\$7 vary) near3 (protocol element device)	US-PGPUB;	2001,00,01 15:50
		and (application content) and (protocol element device) near2	EPO; JPO;	1
1		(indepen\$6 depen\$6)	DERWENT;	,
		,	IBM_TDB	
-	18	resourc\$3 near descript\$4 near frame\$4 and RDF and (adapt\$6	USPAT;	2004/08/31 14:28
{		modif\$7 adjust\$4 alter\$7 vary) near3 (protocol element device)	US-PGPUB;	
		and (application content) and (protocol element device) near2	EPO; JPO;	
		(indepen\$6 depen\$6) and browser	DERWENT;	
}			IBM_TDB	
-	3	709/230.ccls. and protocol and content and application and RDF	USPAT;	2004/08/31 14:26
}			US-PGPUB;	
			EPO; JPO;	
· i			DERWENT;	
-	c==	700/070	IBM_TDB	2004/00/04 44 07
-	675	709/230.ccls. and protocol and content and application	USPAT;	2004/08/31 14:27
			US-PGPUB;	
			EPO; JPO;	,
			DERWENT; IBM_TDB	
_	307	709/230.ccls. and protocol and content and application and	USPAT;	2004/08/31 14:29
	307	(adapt\$6 modif\$7 adjust\$4 alter\$7 convert\$4) near3 (protocol	US-PGPUB;	2004/00/31 14.23
		element device)	EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	[
_	10	709/230.ccls. and protocol and content and application and	USPAT;	2004/08/31 14:31
		(adapt\$6 modif\$7 adjust\$4 alter\$7 convert\$4) near3 protocol and	US-PGPUB;	
		(protocol element device) near2 (depend\$2 independ\$2)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	6351771.pn. 6347340.pn. 6216157.pn.	USPAT;	2004/08/31 15:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	710/th no and protocol and /adapht/ madift/7 adirect/ alterna?	IBM_TDB	2004/00/24 46:02
ļ. <del>-</del>	0	719/\$.pn. and protocol and (adapt\$6 modif\$7 adjust\$4 alter\$7 convert\$4) near3 protocol and (protocol element device) near2	USPAT; US-PGPUB;	2004/08/31 16:03
		(depend\$2 independ\$2)	EPO; JPO;	
		( (асреная шасреная)	DERWENT;	]
			IBM TDB	
_	0.0	718/\$.pn. and protocol and (adapt\$6 modif\$7 adjust\$4 alter\$7	USPAT;	2004/08/31 15:56
		convert\$4) near3 protocol and (protocol element device) near2	US-PGPUB;	
		(depend\$2 independ\$2)	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM_TDB	

	T	1 = 2 = 2	1.100.45	
-	0	718/\$.pn.	USPAT;	2004/08/31 16:02
			US-PGPUB;	
			EPO; JPO;	
	,		DERWENT;	
		(740/h)	IBM_TDB	2004/00/21 46 02
-	0	(718/\$).pn.	USPAT;	2004/08/31 16:03
	,		US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	6	719/\$.ccls. and (adapt\$6 modif\$7 adjust\$4 alter\$7 convert\$4)	USPAT;	2004/09/01 15:31
-		near3 protocol and (protocol element device) near2 (depend\$2	US-PGPUB;	2007/03/01 13.31
		independ\$2)	EPO; JPO;	
Į		mucpenayz)	DERWENT;	
			IBM_TDB	
-	14	"6310889"	USPAT;	2004/09/02 12:49
	1	0010007	US-PGPUB;	2001/05/02 12:15
	<b>1</b>		EPO; JPO;	[
	!		DERWENT;	
			IBM_TDB	
-	2	6347340.pn.	USPAT;	2004/09/02 12:49
	_ !		US-PGPUB;	
	Ì		EPO; JPO;	
			DERWENT;	
	ĺ		IBM_TDB	
-	14	("4953106"   "5432852"   "5577202"   "5610904"   "5765109"	USPAT	2004/09/02 12:50
		"5809028"   "5826039"   "5912897"   "5944823"   "5966656"		
	)	"5983265"   "6023723"   "6219667"   "6215495").PN.		
-	169	RDF and independent and dependent and protocol	USPAT;	2004/09/02 13:01
			US-PGPUB;	
			EPO; JPO;	
	1 1		DERWENT;	
			IBM_TDB	
-	40	RDF and independent and dependent near3 (protocol element	USPAT;	2004/09/02 13:01
		device component)	US-PGPUB;	
	,		EPO; JPO;	
,	}		DERWENT;	
_	11	RDF and (independent and dependent) near3 (protocol element	IBM_TDB USPAT;	2004/09/02 13:03
-	11	device component)	US-PGPUB;	2007/03/02 13.03
	)	device componency	EPO; JPO;	
	ļ .		DERWENT;	
	1		IBM_TDB	
-	1	RDF and (independent and dependent) near3 (protocol and	USPAT;	2004/09/02 13:05
		(element device component))	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	]		IBM_TDB	
_	22	RDF and protocol and metadata near2 standard	USPAT;	2004/09/02 13:06
	1		US-PGPUB;	
		*	EPO; JPO;	
	Į į		DERWENT;	
	1		IBM TDB	